

Primerus

Downs • Stanford, P.C.

ATTORNEYS AND COUNSELORS
DALLAS & AUSTIN



Speaker:

Stuart Colburn

4425 S. MoPac

Bld. III, Suite 500

Austin, TX 78735


scolburn@downsstanford.com

www.downsstanford.com



Member, International Society of Primerus Law Firms

Diabetes




Number and Percentage of U.S. Population with Diagnosed Diabetes

DOWNSONSTANFORD, P.C.

ATTORNEYS AND COUNSELORS

DALLAS & AUSTIN

Number and Percentage of U.S. Population with Diagnosed Diabetes



CDC's Division of Diabetes Translation. National Diabetes Surveillance System available at <http://www.cdc.gov/diabetes/statistics>



Growing Diabetes

DOWNNS • STANFORD, P.C.

ATTORNEYS AND COUNSELORS


DALLAS & AUSTIN

- 1 million more diagnoses of diabetes per year
- 1/3 of all Americans will develop in diabetes in their lifetime

(Source: American Diabetes Association Statement 2008)




Member, International Society of Primerus Law Firms




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

1994

Obesity (BMI \geq 30 kg/m²)



Diabetes



Missing Data
14.0 - 17.9%
22.0 - 25.9%

<14.0%
18.0 - 21.9%
 \geq 26.0%

Missing data
4.5 - 5.9%
7.5 - 8.9%

<4.5%
6.0 - 7.4%
 \geq 9.0%




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

1995

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

1996

Obesity (BMI \geq 30 kg/m²)



Diabetes




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>





Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

1997

Obesity (BMI \geq 30 kg/m²)



Diabetes




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

1998

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>





Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

1999

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2000

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>





Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2001

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2002

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>





Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2003

Obesity (BMI \geq 30 kg/m²)



Diabetes





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>





Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2004

Obesity (BMI \geq 30 kg/m²)



Diabetes




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2005

Obesity (BMI \geq 30 kg/m²)



Diabetes



Missing Data
14.0 - 17.9%
22.0 - 25.9%

<14.0%
18.0 - 21.9%
 \geq 26.0%

Missing data
4.5 - 5.9%
7.5 - 8.9%

<4.5%
6.0 - 7.4%
 \geq 9.0%




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2006

Obesity (BMI \geq 30 kg/m²)



Diabetes



Missing Data
14.0 - 17.9%
22.0 - 25.9%

<14.0%
18.0 - 21.9%
 \geq 26.0%

Missing data
4.5 - 5.9%
7.5 - 8.9%

<4.5%
6.0 - 7.4%
 \geq 9.0%





CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>





Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

2007

Obesity (BMI \geq 30 kg/m²)



Diabetes




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>



Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes


2008

Obesity (BMI \geq 30 kg/m²)



Missing Data	<14.0%
14.0 - 17.9%	18.0 - 21.9%
22.0 - 25.9%	≥26.0%

Diabetes



Missing data	<4.5%
4.5 - 5.9%	6.0 - 7.4%
7.5 - 8.9%	≥9.0%




CDC's Division of Diabetes Translation. National Diabetes Surveillance System
available at <http://www.cdc.gov/diabetes/statistics>




Age-adjusted Percentage of U.S. Adults Who Were Obese or Who Had Diagnosed Diabetes

Obesity (BMI ≥ 30 kg/m²)



Diabetes



CDC's Division of Diabetes Translation. National Diabetes Surveillance System available at <http://www.cdc.gov/diabetes/statistics>

Diabetes Epidemic

DOWNNS • STANFORD, P.C.

ATTORNEYS AND COUNSELORS


DALLAS & AUSTIN

- 6th leading cause of death in US
- 70,000 annual deaths
- 23.6 million Americans
- 8% of population
- Age prevalence (over 60, 23.6%)
- Geographical prevalence (SE and Appalachian)



Member, International Society of Primerus Law Firms

Age-adjusted percentage of adults aged ≥ 20 years with diagnosed diabetes, 2007




MMWR 58:1259-1263, 2009



CDC's Division of Diabetes Translation. National Diabetes Surveillance System available at <http://www.cdc.gov/diabetes/statistics>



Age-adjusted percentage of adults aged ≥ 20 years who are obese, 2007




MMWR 58:1259-1263, 2009



CDC's Division of Diabetes Translation. National Diabetes Surveillance System available at <http://www.cdc.gov/diabetes/statistics>



Counties in the top and bottom two quintiles of both diabetes and obesity, 2007



MMWR 58:1259-1263, 2009



CDC's Division of Diabetes Translation. National Diabetes Surveillance System available at <http://www.cdc.gov/diabetes/statistics>



Diabetes & Hospitalization

DOWNNS • STANFORD, P.C.

ATTORNEYS AND COUNSELORS

DALLAS & AUSTIN

- 16.9 million days of hospitalization in 2002
- 24.3 million days of hospitalization in 2007
- \$1,853 – 2,281 average cost of hospital inpatient costs due to diabetes

(Source: Diabetes Prevalence by Danaei et al)



Member, International Society of Primerus Law Firms



Diabetes Healthcare Costs

DOWNNS • STANFORD, P.C.

ATTORNEYS AND COUNSELORS

DALLAS & AUSTIN

27 billion for direct diabetic care
+ 58 billion for chronic complications
+ 31 billion for excess general medical costs
= 116 billion direct costs in 2007

(Source: Diabetes Prevalence by Danaei et al)



Member, International Society of Primerus Law Firms



PHOTO: JUPITERIMAGES

Costs of Diabetes

DOWNNS • STANFORD, P.C.

ATTORNEYS AND COUNSELORS

DALLAS & AUSTIN

- \$174 – 200 Billion per year for treatment
- 1 of every 5 health care dollars is spent on diabetics
- 2.3 times the cost of treating non-diabetics
- Productivity loss of 6.6% (14 days/year) attributed to diabetes alone

(Source: American Diabetes Association Statement 2008)



Member, International Society of Primerus Law Firms




People With Diabetes Report

Downs • Stanford, P.C.

ATTORNEYS AND COUNSELORS

DALLAS & AUSTIN



Member, International Society of Primerus Law Firms



“Cooperation is the thorough conviction that nobody can get there unless everybody gets there.”

Virginia Burden Tower
author



Member, International Society of Primerus Law Firms



Stuart Colburn

DOWNNS • STANFORD, P.C.

ATTORNEYS AND COUNSELORS

DALLAS & AUSTIN

Should you need any additional assistance on any matter, we are always available. Please feel free to contact us or any of the other lawyers in our firm at any time. Downs . Stanford is recognized by **Primerus**—a nationwide alliance of law firms that meet the highest quality and ethical standards. This honor is based on the firm's credentials, as well as ratings by our clients, other attorneys, and judges. The firm also received the highest rating (AV) from Martindale-Hubbell, the nation's leading rating group for lawyers. In addition, Downs . Stanford is recommended by Best's Directory of Recommended Insurance Attorneys and Adjustors.